






Scheda tecnica calzatura/Shoes technical data sheet


| Identificazione articolo/Item identification | | | | | |
|--|---|---|---|-----------------------------------|---------------|
| Cod. comm.le Industrial Starter/ IS commercial item code: | 46205 | Cod. art. fornitore/ Supplier item code: | IS10 slip on | Cod. fornitore/ Supplier code: | 101479 |
| Cod. colore Industrial Starter/ Industrial Starter colour code: | - | <input checked="" type="checkbox"/> | Articolo del catalogo/Item from catalogue | | |
| | | <input type="checkbox"/> | Articolo personalizzato/Customized item | | |
| | | Codice cliente/Customer code: | | N/A | |
| Nome articolo/Item name: | "EXTREME STRETCH SLIP ON" S3 SRC ESD | | | | |

| Descrizione tecnica dell'articolo/Technical item description | | | |
|--|---|---|----------------------|
| Componente / Component | Materiale / material | Composizione / Composition | Spessore / Thickness |
| Puntale / Toe | Microfibra / Microfiber | 50% nylon + 50% poliuretano / 50% nylon + 50% polyurethane | 0.8 mm |
| Laterale / Vamp | Mesh - Stampa/ Mesh - Printing | 100% terylene / 100% terylene | |
| Sottoocchiello / Eyestay | Stampa / Printing | | |
| Quartiere / Quarter | Microfibra / Microfiber | | |
| Collarino esterno + linguetta / Outside collar + tongue | Lycra + 1.5 mm SBR / Lycra + 1.5mm SBR | | |
| Tallone / Heel | Microfibra / Microfiber | 50% nylon + 50% poliuretano / 50% nylon + 50% polyurethane | 1.4 mm |
| Gancio / Hook | Plastica / Plastic | Nylon / Nylon | |
| Fettuccia / Webbing | Tessuto / Webbing | Poliestere / Polyester | |
| Fodera / Lining | Mesh / Mesh | Terylene + PPG + tricot / Terylene + PPG + tricot | |
| Lacci / Laces | Poliestere / Polyester | | |
| Fodera anteriore / Front Lining | Mesh / Mesh | 100% terylene / 100% terylene | |
| Imbottitura collare / Collar padding | Schiuma / Foam | PPG / PPG | 10 mm |
| Sottopiede copertura / Footbed cover | Mesh / Mesh | 100% terylene / 100% terylene | |
| Sottopiede fondo posteriore / Footbed bottom back | Polietilene Alta Densità / Hi Poly | PPG / PPG | |
| Sottopiede fondo anteriore/ Footbed bottom front | Polietilene Alta Densità / Hi Poly | PPG / PPG | |
| Lamina antiperforazione / Lasting Board | 4 mm Lasted Board / 4 mm Lasted Board | Terilene + Gomma / Terylene + Rubber | 4 mm |
| Puntale / Toe Cap | Composito / Composite | Fibra di vetro + nylon / Fiber Glass + nylon | |
| Suola / Outsole | Poliuretano / Polyurethane | Poliuretano / Polyurethane | |
| Intersuola / Midsole | Poliuretano / Polyurethane | Poliuretano / Polyurethane | |
| Cambrione / Shank | Plastica / Plastic | Nylon / Nylon | |

Scheda tecnica calzatura/Shoes technical data sheet



| | |
|----------------------|---|
| Loghi / Logos : | ISSALINE  |
| Taglie / Sizes: | 36-48 |
| Imballo / Packaging: | n. 1 prs / box – n. 5 boxes / export carton |
| Note / Notes: | <p>Shank System</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  TEXTILE </div> <div style="text-align: center;">  FIBER GLASS </div> <div style="text-align: center;">  METAL FREE </div> <div style="text-align: center;">  ULTRA FLEX </div> </div> |

Conformità alle norme CE/Conformity with EC standards

| | | | | |
|---|---|---|-----------------------------------|-------------------|
| Cat. DPI / PPE Category: | II | Norme CE e livelli di protezione/ EC standards and protection levels: | EN ISO 20345: 2011 S1P SRC | |
| Certificato d'esame UE del tipo n° / UE type-examination certificate No.: | BP 50552949 0001 | | Data / Date: | 12.08.2022 |
| Organismo notificato/ Notified body: | TuV Rheinland | | N°/ No.: | 0197 |
| Lingue nota informativa/ Information note's languages: | FR / RS / SK / HR / SI / IT / EN / ES / CZ / PL / PT | | | |



Foto / Photo



Vicenza (Italy), 20/08/2022

Resp. acquisti/Purchasing manager